




Premium Porcelain Pavers Collection




Visit our Website




Dune (V2) 24"x36"




**Travertine Cross
Cut White (V2)
24"x48"**




**Arctic White
(V2) 24"x48"**




**MichaelAngelo
White 24"x48"**




**Montauk White
(V2) 24"x48"**




**Essence Brown
12"x48"**



**Limestone
24"x36"**



**Montauk Grey
(V2) 24"x48"**




**Montauk Black
(V2) 24"x48"**



**Diamond
White (V2)
24"x24"**



**Travertine
Vein Cut Beige
(V2) 24"x48"**



**Soul Walnut
(V2) 12"x48"**

FRISCO 1707
WITT RD.
FRISCO, TX 75036
469-664-0001




AUBREY 10615
FISHTRAP RD.
AUBREY, TX 76227
940-567-4004

Build with Natural Stone

Every stone selected, every detail perfected

- The KingStone Signature




FRISCO 1707
WITT RD.

FRISCO, TX 75036
469-664-0001



AUBREY 10615
FISHTRAP RD.
AUBREY, TX 76227
940-567-4004

Available Sizes



<https://kingstone-supply.com/>



469 664 0001 / 940 202 8551



office@kingstonesupply.net

Scan QR code for Product Spec Sheet



PREMIUM PORCELAIN PAVERS SPEC SHEET

PHYSICAL PROPERTIES	TEST ASTM	NORTH AMERICAN STANDARD A137.3 *	RESULTS
 Water absorption *	C373	≤ 0.5%	COMPLY WITH ANSI A137.3
 DCOF Average dynamic coefficient of friction **	ANSI A.326.3	As reported	EW - Exterior, Wet
 Skid Resistance	EN 16165 (EX DIN 51097) EN 16165 (EX DIN 51130)	-	A+B+C R11
 Resistance to freeze/ thaw cycling *	C1026	As reported	RESISTANT
 Resistance to thermal shock	C484	As reported	RESISTANT
 Warpage (edge)	C485	Warpage ± 0.4% or ± 0.05 in	COMPLY WITH ANSI A137.3
 Warpage (diagonal)	C485	Warpage ± 0.4% or ± 0.07 in	COMPLY WITH ANSI A137.3
 Wedging	C502	± 0.25% or ± 0.03 in	COMPLY WITH ANSI A137.3
 Chemical resistance	C650	As reported	UNAFFECTED
 Resistance to stain	C1378	As reported	UNAFFECTED
 Thickness	C499	Range: 0.04 in	COMPLY WITH ANSI A137.3
 Breaking strength	C1505	2000 lbf	COMPLY WITH ANSI A137.3
 Module of Rupture	C1505	5000 psi	COMPLY WITH ANSI A137.3

* Average values referred to our production and related to the matt finish of the product.

** As far as values relating to the matt finish of the product and to tests carried out by certified external laboratories whose results are available upon request at our office, we are willing to check the lot you are interested in purchasing.

- Be sure to use pavers belonging to the same caliber.

- Test results are available on request. - The information provided can be subject to change. Please refer to <https://kingstone-supply.com/> for the latest, most accurate and up-to-date information.